#### (19) World Intellectual Property Organization International Bureau





#### (43) International Publication Date 8 March 2001 (08.03.2001)

### (10) International Publication Number WO 01/15673 A2

(51) International Patent Classification7:

(21) International Application Number: PCT/EP00/08341

(22) International Filing Date: 25 August 2000 (25.08.2000)

(25) Filing Language:

English

A61K 31/00

(26) Publication Language:

English

(30) Priority Data:

9903028-0

27 August 1999 (27.08.1999)

- (71) Applicant: AVENTIS PHARMA DEUTSCHLAND GMBH [DE/DE]; Brüningstrasse 50, 65929 Frankfurt (DE).
- (72) Inventors: SCHOELKENS, Bernward; Hölderlinstrasse 62, 65779 Kelkheim (DE). BENDER, Norbert; Rheingaustrasse 26, 65719 Hofheim (DE). RANGOONWALA, Badrudin; Dahlienweg 11, 65719 Hofheim (DE). DA-GENAIS, Gilles; University of Montreal, Montreal (CA). GERSTEIN, Hertzel; McMaster University, Hamilton, Ontario L8S 4L8 (CA). LJUNGGREN, Anders; Ringspinnaregatan 5, S-431 63 Mölndal (SE). YUSUF,

Salim; McMaster University, Hamilton, Ontario L8S 4L8 (CA).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published:

Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: PHARMACEUTICAL FORMULATIONS AND USE THEREOF IN THE PREVENTION OF STROKE, DIABETES AND/OR CONGESTIVE HEART FAILURE

(57) Abstract: The present invention relates to use of an inhibitor of the renin-angiotensin system (RAS) or a pharmaceutically acceptable derivative thereof, particularly ramipril or ramiprilat, in the manufacture of a medicament for the prevention of stroke, diabetes and/or congestive heart failure (CHF). The present invention further relates to a method of prevention and/or treatment of stroke, diabetes and/or CHF, comprising administering a therapeutically effective amount of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof, particularly ramipril or ramiprilat, to a patient in need of such prevention and/or treatment.

WO 01/15673 PCT/EP00/08341

Pharmaceutical Formulations And Use Thereof In The Prevention Of Stroke, Diabetes And/Or Congestive Heart Failure

#### FIELD OF INVENTION

5

10

The present invention relates to use of an inhibitor of the renin-angiotensin system (RAS) or a pharmaceutically acceptable derivative thereof in the manufacture of a medicament for the prevention of stroke, diabetes and /or congestive heart failure (CHF). The present invention further relates to a method of prevention and/or treatment of stroke, diabetes and/or CHF, comprising administering a therapeutically effective amount of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof to a patient in need of such prevention and/or treatment.

#### BACKGROUND OF THE INVENTION

15

20

25

30

Compounds that interfere with the RAS are well known in the art and are used to treat cardiovascular diseases, particularly arterial hypertension and heart failure. Principally, the RAS can be interferred with by inhibition of the enzymes synthesizing angiotensins or by blocking the corresponding receptors at the effector sites. Available today are inhibitors of the angiotensin converting enzyme (ACE) and angiotensin II type 1 receptor (AT II) antagonists.

ACE inhibitors are compounds which inhibit the conversion of angiotensin I into the active angiotensin II as well as the breakdown of the active vasodilator bradykinin. Both of these mechanisms lead to vasodilation. Such compounds have been described in, for example, EP 158927, EP 317878, US 4,743,450, and US 4,857,520.

Ramipril (disclosed in EP-A-079022) is a long-acting ACE inhibitor. Its active metabolite is the free diacid ramiprilat, which is obtained in vivo upon administration of ramipril. In hypertensive patients administration of ramipril is known to cause a reduction in peripheral arterial resistance and thus a reduction of the blood pressure without a compensatory rise in heart rate. It is currently being used in the treatment of hypertension and CHF. Furthermore, ramipril has been shown to reduce mortality

WO 01/15673

in patients with clinical signs of congestive heart failure after surviving an acute myocardial infarction. Ramipril has been suggested to have an added advantage over many other ACE inhibitors due to its pronounced inhibition of ACE in tissues resulting in organ protective effects in e.g. the heart, kidney, and blood vessels.

5

10

20

25

30

Compounds that interfere with the RAS including ACE inhibitors and AT II antagonists are currently used in the treatment of various cardiovascular disorders, especially in patients exhibiting a high blood pressure. Use of said compounds in prevention of cardiovascular disorders is much less common and the use of said compounds in the prevention of stroke, diabetes and /or CHF is hitherto unknown.

### SUMMARY OF THE INVENTION

The present invention relates to use of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof in the manufacture of a medicament for the prevention of stroke, especially in patients exhibiting normal or low blood pressure.

The present invention further relates to use of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof in the manufacture of a medicament for the prevention of diabetes.

The present invention also relates to use of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof in the manufacture of a medicament for the prevention of development of CHF in patients with no preexisting CHF, i.e. no signs or symptoms of CHF.

Another aspect of the invention is a method of prevention of stroke, diabetes and/or CHF, comprising administering a therapeutically effective amount of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof, to a patient in need of such prevention.

Yet another aspect of the invention is a pharmaceutical formulation for use in the prevention of stroke, diabetes and/or CHF, comprising a therapeutically effective amount of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof.

5

A further aspect of the invention is the use of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof, in the prevention of stroke, diabetes and/or CHF, by administering the inhibitor of the RAS or a pharmaceutically acceptable derivative thereof, to a patient in need of such prevention.

10

25

### DETAILED DESCRIPTION OF THE INVENTION

It has surprisingly been found that cardiovascular and metabolic disorders such as stroke, diabetes and CHF can be prevented by use of an inhibitor of RAS,

particularly an ACE inhibitor that interferes with the synthesis of angiotensin II. The present invention is especially surprising in that especially patients with an essentially maintained heart function and/or exhibiting a normal or low blood pressure benefit markedly from the preventive action of the inhibitors of RAS. The invention describes a new method to prevent disorders such as stroke, diabetes and/or CHF by administration of an inhibitor of the RAS.

Patients exhibiting a normal or low blood pressure are known as normotensive patients. Examples of guidelines defining blood pressure values for different patient groups including different ages, include guidelines issued by the WHO and JNC (USA). In the present invention, a suitable definition of a normal or low blood pressure can be found in JNC VI, which is hereby incorporated by reference.

In the present invention, "stroke" includes both fatal and non-fatal.

In the present invention, "diabetes" include both type I diabetes, also known as insulin-dependent, diabetes mellitus (IDMM), and type II diabetes, also known as non-insulin-dependent diabetes mellitus (NIDDM).

WO 01/15673 PCT/EP00/08341

4

In the present invention, "inhibitor of the renin-angiotensin system (RAS) or a pharmaceutically acceptable derivative thereof" includes any compound which in itself or upon administration blocks the negative effects of angiotensin II on the vasculature either by reducing the synthesis of angiotensin II or blocking its effect at the receptor.

In the present invention, "angiotensin converting enzyme (ACE) inhibitor or a pharmaceutically acceptable derivative thereof" includes any compound which in itself or upon administration interferes with the synthesis of angiotensin II.

When the inhibitor of the RAS used in the present invention have several asymetric carbon atoms, they can consequently exist in several stereochemical forms. The present invention includes the mixture of isomers as well as the individual stereoisomers. The present invention further includes geometrical isomers, rotational isomers, enantiomers, racemates and diastereomers.

Where applicable, the inhibitors of RAS may be used in neutral form, e.g. as a carboxylic acid, or in the form of a salt, preferably a pharmaceutically acceptable salt such as the sodium, potassium, ammonium, calcium or magnesium salt of the compound at issue. Where applicable the compounds listed above can be used in hydrolyzable ester form.

In the present invention, the inhibitors of the RAS include all prodrugs thereof, whether active or inactive *in vitro*. Thus, although such protected derivatives may not possess pharmacological activity *per se*, they may be administered e.g. parenterally or orally, and thereafter metabolized *in vivo* to form pharmacologically active inhibitors of RAS. Preferred examples are ramipril, which is metabolized into ramiprilat, and candesartan cilexetil, which is metabolized into candesartan.

30

5

10

15

20

25

30

Inhibitors of the RAS include ACE inhibitors, AT II antagonists, also known as angiotensin receptor blockers (ARBs), renin antagonists, and vasopeptidase inhibitors (VPIs).

- The phrase "vasopeptidase inhibitors" embraces so-called NEP/ACE inhibitors (also referred to as selective or dual acting neutral endopeptidase inhibitors) which possess neutral endopeptidase (NEP) inhibitory activity and angiotensin converting enzyme (ACE) inhibitory activity.
- 10 The phrase "renin antagonists" embraces renin inhibitors.

In the present invention, the RAS inhibitors may exhibit a long term duration, medium term duration or short term duration.

- ACE inhibitors or pharmaceutically acceptable derivatives thereof, including active metabolites, which can be used for the prevention of stroke, diabetes and/or CHF include, but is not limited to, the following compounds:

  alacepril, alatriopril, altiopril calcium, ancovenin, benazepril, benazepril hydrochloride, benazeprilat, benzoylcaptopril, captopril, captopril-cysteine, captopril-glutathione, ceranapril, ceranopril, ceronapril, cilazapril, cilazaprilat, delapril-diacid, enalapril, enalaprilat, enapril, epicaptopril, foroxymithine, fosfenopril, fosenopril, fosenopril sodium, fosinopril, fosinopril sodium, fosinoprilat, fosinoprilic acid, glycopril, hemorphin-4, idrapril, imidapril, indolapril, indolaprilat, libenzapril, lisinopril, lyciumin A, lyciumin B, mixanpril, moexipril, moexiprilat, moveltipril,
- muracein A, muracein B, muracein C, pentopril, perindopril, perindoprilat, pivalopril, pivopril, quinapril, quinapril hydrochloride, quinaprilat, ramipril, ramiprilat, spirapril, spirapril hydrochloride, spiraprilat, spiropril, spiropril hydrochloride, temocapril, temocapril hydrochloride, teprotide, trandolapril, trandolaprilat, utibapril, zabicipril, zabiciprilat, zofenopril and zofenoprilat.

Preferred ACE inhibitors for use in the present invention are tamipril, ramiprilat, lisinopril, enalapril and enalaprilat. More preferred ACE inhibitors for uses in the

present invention are ramipril and ramiprilat. Information about ramipril and ramiprilat can be obtained e.g. from the Merck Index., 12<sup>th</sup> ed., 1996, pp. 1394-1395.

AT II antagonists or pharmaceutically acceptable derivatives thereof, including active 5 metabolites, which can be used for the prevention of stroke, diabetes and/or CHF include, but is not limited to, those described in European Patent Applications, Publication Nos. 253310, 323841, 324377, 399731, 400974, 401030, 403158, 403159, 407102, 407342, 409332, 411507, 411766, 412594, 412848, 415886, 419048, 420237, 424317, 425211, 425921, 426021, 427463, 429257, 430300, 10 430709, 432737, 434038, 434249, 435827, 437103, 438869, 442473, 443568, 443983, 445811, 446062, 449699, 450566, 453210, 454511, 454831, 456442, 456442, 456510, 459136, 461039, 461040, 465323, 465368, 467207, 467715, 468372, 468470, 470543, 475206, 475898, 479479, 480204, 480659, 481448, 481614, 483683, 485929, 487252, 487745, 488532, 490587, 490820, 492105, 15 497121, 497150, 497516, 498721, 498722, 498723, 499414, 499415, 499416, 500297, 500409, 501269, 501892, 502314, 502575, 502725, 503162, 503785, 503838, 504888, 505098, 505111, 505893, 505954, 507594, 508393, 508445, 508723, 510812, 510813, 511767, 511791, 512675, 512676, 512870, 513533, 513979, 514192, 514193, 514197, 514198, 514216, 514217, 515265, 515357, 20 515535, 515546, 515548, 516392, 517357, 517812, 518033, 518931, 520423, 520723, 520724, 521768, 522038, 523141, 526001, 527534, and 528762. Other All antagonists include those disclosed in International Patent Application, Publication Nos. WO 91/00277, WO 91/00281, WO 91/11909, WO 91/11999, WO 91/12001, WO 91/12002, WO 91/13063, 91/15209, WO 91/15479, WO 91/16313, WO 25 91/17148, WO 91/18888, WO 91/19697, WO 91/19715, WO 92/00067, WO 92/00068, WO 92/00977, WO 92/02510, WO 92/04335, WO 92/04343, WO 92/05161, WO 92/06081, WO 92/07834, WO 92/07852, WO 92/09278, WO 92/09600, WO 92/10189, WO 92/11255, WO 92/14714, WO 92/16523, WO 92/16552, WO 92/17469, WO 92/18092, WO 92/19211, WO 92/20651, WO 30 92/20660, WO 92/20687, WO 92/21666, WO 92/22533, WO 93/00341, WO 93/01177, WO 93/03018, WO 93/03033 and WO 93/03040. The contents of the

aforesaid European and International Patent Applications are hereby incorporated by reference thereto.

Preferred AT II antagonists or pharmaceutically acceptable derivatives thereof for use in the present invention include, but is not limited to, compounds with the following generic names: candesartan, candesartan cilexetil, losartan, valsartan, irbesartan, tasosartan, telmisartan and eprosartan.

Particularly preferred AT II antagonists or pharmaceutically acceptable derivatives
thereof for use in the present invention are candesartan and candesartan cilexetil.
Candesartan and candesartan cilexetil are known from European Patent No. 459
136 B1, US 5,196,444 and US 5,703,110 to Takeda Chemical Industries.
Candesartan cilexetil is currently manufactured and sold world-wide by AstraZeneca and Takeda.e.g. under the trade names Atacand®, Amias® and Blopress®.

15

20

25

5

NEP/ACE-inhibitors or pharmaceutically acceptable derivatives thereof, including active metabolites, which can be used for the prevention of stroke, diabetes and/or CHF include, but is not limited to, those compounds disclosed in U.S. Patents Nos. 5,508,272, 5,362,727, 5,366,973, 5,225,401, 4,722,810, 5,223,516, 5,552,397, 4,749,688, 5,504,080, 5,612,359, 5,525,723, 5,430,145, and 5,679,671, and European Patent Applications 0481522, 0534263, 0534396, 0534492 and 0671172.

Preferred NEP/ACE inhibitors for use in the present invention are those which are designated as preferred in the above U.S. patents and European Patent Applications and are incorporarted herein by reference. Especially preferred is the NEP/ACE inhibitor omapatrilat (disclosed in U.S. Patent No. 5,508,272), or MDL100240 (disclosed in U.S. Patent No. 5,430,145).

Renin-inhibitors or pharmaceutically acceptable derivatives thereof, including active metabolites, which can be used for the prevention of stroke, diabetes and/or CHF include, but is not limited to, the following compounds:

WO 01/15673 PCT/EP00/08341

8

enalkrein; RO 42-5892; A 65317; CP 80794; ES 1005; ES 8891; SQ 34017; CGP 29287; CGP 38560; SR 43845; U-71038; A 62198; and A 64662.

#### Pharmaceutical formulations

5

In one aspect, the present invention relates to pharmaceutical formulations comprising as active ingredient an RAS inhibitor or a pharmaceutically acceptable derivative or prodrug thereof, including metabolites, for use in the prevention of stroke, diabetes and/or conge-stive heart failure (CHF).

10

15

20

For clinical use, the RAS inhibitor is formulated into a pharmaceutical formulation for oral, intravenous, subcutaneous, tracheal, bronchial, intranasal, pulmonary, transdermal, buccal, rectal, parenteral or some other mode of administration. The pharmaceutical formulation may contain the inhibitor in admixture with a pharmaceutically acceptable adjuvant, diluent and/or carrier.

In the preparation of the pharmaceutical formulations of the present invention the active ingredient may be mixed with solid, powdered ingredients, such as lactose, saccharose, sorbitol, mannitol, starch, amylopectin, cellulose derivatives, gelatin, or another suitable ingredient, as well as with disintegrating agents and lubricating agents such as magnesium stearate, calcium stearate, sodium stearyl fumarate and polyethylene glycol waxes. The mixture may then be processed into granules or pressed into tablets.

25

30

The active ingredient may be separately premixed with the other, non-active ingredients, before being mixed to form a formulation.

Soft gelatine capsules may be prepared with capsules containing a mixture of the active ingredient of the invention, vegetable oil, fat, or other suitable vehicle for soft gelatine capsules. Hard gelatine capsules may contain granules of the active ingredients. Hard gelatine capsules may also contain the active ingredients in

combination with solid powdered ingredients such as lactose, saccharose, sorbitol, mannitol, potato starch, corn starch, amylopectin, cellulose derivatives or gelatine.

Dosage units for rectal administration may be prepared (i) in the form of suppositories which contain the active substance mixed with a neutral fat base; (ii) in the form of a gelatine rectal capsule which contains the active substance in a mixture with a vegetable oil, paraffin oil or other suitable vehicle for gelatine rectal capsules; (iii) in the form of a ready-made micro enema; or (iv) in the form of a dry micro enema formulation to be reconstituted in a suitable solvent just prior to administration.

Liquid preparations may be prepared in the form of syrups or suspensions, e.g. solutions or suspensions containing the active ingredients and the remainder consisting, for example, of sugar or sugar alcohols and a mixture of ethanol, water, glycerol, propylene glycol and polyethylene glycol. If desired, such liquid preparations may contain coloring agents, flavoring agents, preservatives, saccharine and carboxymethyl cellulose or other thickening agents. Liquid preparations may also be prepared in the form of a dry powder to be recon-stituted with a suitable solvent prior to use.

20

25

5

10

15

Solutions for parenteral administration may be prepared as a solution of a formulation of the invention in a pharmaceutically acceptable solvent. These solutions may also contain stabilizing ingredients, preservatives and/or buffering ingredients. Solutions for parenteral administration may also be prepared as a dry preparation to by reconstituted with a suitable solvent before use.

The total amount of active ingredient suitably lies in the range of from about 0.1 % (w/w) to about 95 % (w/w) of the formulation, suitably from 0.5 % to 50 % (w/w) and preferably from 1 % to 25 % (w/w).

30

The pharmaceutical formulations may contain between about 0.1 mg and about 1000 mg of active ingredient, preferably between 1 mg and 100 mg of active ingredient.

The dose of the active ingredient to be administered will depend on the relevant indication, the age, weight and sex of the patient and may be determined by a physician. The dosage will suitably be in the range of from about 0.01 mg/kg to about 20 mg/kg, preferably between 0.1 mg/kg and 10 mg/kg.

The typical daily dose of the active ingredients varies within a wide range and will depend on various factors such as the relevant indication, the route of administration, the age, weight and sex of the patient and may be determined by a physician. In general, dosages, and especially oral and parenteral dosages, will be in the range of from about 0.1 to about 100 mg per day of active ingredient, preferably between 1 and 50 mg per day of active ingredient.

The following Example is intended to illustrate, but in no way limit the scope of the invention.

#### **EXAMPLE**

A large-scale clinical trial was designed to examine the effect of the ACE inhibitor ramipril versus placebo in reducing cardiovascular events.

20

5

10

15

The study was conducted in 267 centres in 19 countries over a six year period and included 9,541 participants who are at high risk for cardiovascular events due to a history of previous ischaemic heart disease, stroke, peripheral arterial disease or individuals with diabetes.

25

The systolic blood pressure at inclusion of the patients was on average 138 mm Hg and thus the patients were normotensive at study start. After one month of therapy with either ramipril or placebo, the systolic blood pressure had decreased by 5.48 mm Hg and 1.59 mm Hg, respectively.

30

The primary endpoint of the study was myocardial infarction (MI), stroke and cardiovascular (CV) death (mortality).

The study was stopped early because of a very clear reduction in the combined endpoint of cardiovascular deaths, heart attacks and strokes in patients taking ramipril. In addition to the above benefits, there was also a reduction of between a fourth and a fifth in the need for revascularisation procedures (such as coronary artery bypass graft surgery, balloon angioplasty, etc.) and diabetic complications.

There was a clear 32% reduction in the ramipril group in the number of patients who developed a stroke, and this is surprising since patients were normotensive when recruited to the study.

The number of patients who developed CHF was significantly reduced by 21% in the ramipril group, which is unexpected since patients had no signs or symptoms of CHF at study start.

15

10

5

Equally surprising is the marked 36% reduction in the number of patients who developed diabetes in the ramipril group.

#### **Abbrevations**

20 ACE = angiotensin converting enzyme

AT II = angiotensin II type 1 receptor

CHF = congestive heart failure

IDMM = insulin-dependent, diabetes mellitus

JNC = Joint National Committee

25 MI = myocardial infarction

NIDDM = non-insulin-dependent diabetes mellitus

WHO = World Health Organization

10

#### **CLAIMS**

- The use of an inhibitor of the renin-angiotensin system (RAS) or a
   pharmaceutically acceptable derivative thereof in the manufacture of a medicament for the prevention of stroke.
  - 2. The use of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof in the manufacture of a medicament for the prevention of stroke in patients exhibiting normal or low blood pressure.
  - 3. The use of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof in the manufacture of a medicament for the prevention of diabetes.
- 4. The use of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof in the manufacture of a medicament for the prevention of development of congestive heart failure (CHF) in patients with no preexisting CHF.
- 5. The use according to any previous claim, wherein the inhibitor of the RAS is an angiotensin converting enzyme (ACE) inhibitor or an angiotensin II type 1 receptor (AT II) antagonist or a pharmaceutically acceptable derivative of any of these.
- The use according to claim 5, wherein the ACE inhibitor or a pharmaceutically acceptable derivative thereof is selected from the group consisting of alacepril,
   alatriopril, altiopril calcium, ancovenin, benazepril, benazepril hydrochloride, benazeprilat, benzoylcaptopril, captopril, captopril-cysteine, captopril-glutathione, ceranapril, ceranopril, ceronapril, cilazapril, cilazaprilat, delapril, delapril-diacid, enalapril, enalaprilat, enapril, epicaptopril, foroxymithine, fosfenopril, fosenopril, fosenopril, glycopril, hemorphin-4, idrapril, imidapril, indolapril, indolaprilat, libenzapril, lisinopril, lyciumin A, lyciumin B, mixanpril, moexipril, moexiprilat, moveltipril, muracein A, muracein B, muracein C, pentopril, perindopril, perindoprilat, pivalopril, pivopril,

quinapril, quinapril hydrochloride, quinaprilat, ramipril, ramiprilat, spirapril hydrochloride, spiraprilat, spiropril, spiropril hydrochloride, temocapril, temocapril hydrochloride, teprotide, trandolapril, trandolaprilat, utibapril, zabiciprilat, zofenopril and zofenoprilat.

5

- 7. The use according to claim 6, wherein the ACE inhibitor is selected from the group consisting of ramipril, ramiprilat, lisinopril, enalapril and enalaprilat.
- 8. The use according to claim 5, wherein the AT II antagonist or a pharmaceutically acceptable derivative thereof is selected from the group consisting of candesartan, candesartan cilexetil, losartan, valsartan, irbesartan, tasosartan, telmisartan and eprosartan.
- 9. The use according to claim 8, wherein the AT II antagonist or a pharmaceutically
   acceptable derivative thereof is selected from the group consisting of candesartan and candesartan cilexetil.
  - 10. A method of prevention of stroke, comprising administering a therapeutically effective amount of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof, to a patient in need of such prevention.
  - 11. The method of prevention of stroke in patients exhibiting normal or low blood pressure, comprising administering a therapeutically effective amount of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof, to a patient in need of such prevention.
  - 12. The method of prevention of diabetes, comprising administering a therapeutically effective amount of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof, to a patient in need of such prevention.

30

20

25

13. The method of prevention of development of CHF in patients with no preexisting CHF, comprising administering a therapeutically effective amount of an inhibitor of

the RAS or a pharmaceutically acceptable derivative thereof, to a patient in need of such prevention.

- 14. The method of prevention according to any one of claims 10 to 13, wherein the
  inhibitor of the RAS is an ACE inhibitor or an AT II antagonist or a pharmaceutically acceptable derivative of any of these.
- 15. The method of prevention according to claim 14, wherein the ACE inhibitor or a pharmaceutically acceptable derivative thereof is selected from the group consisting 10 of alacepril, alatriopril, altiopril calcium, ancovenin, benazepril, benazepril hydrochloride, benazeprilat, benzoylcaptopril, captopril, captopril-cysteine, captoprilglutathione, ceranapril, ceranopril, ceronapril, cilazapril, cilazaprilat, delapril, delaprildiacid, enalapril, enalaprilat, enapril, epicaptopril, foroxymithine, fosfenopril, fosenopril, fosenopril sodium, fosinopril, fosinopril sodium, fosinoprilat, fosinoprilic 15 acid, glycopril, hemorphin-4, idrapril, imidapril, indolapril, indolaprilat, libenzapril, lisinopril, lyciumin A, lyciumin B, mixanpril, moexipril, moexiprilat, moveltipril, muracein A, muracein B, muracein C, pentopril, perindopril, perindoprilat, pivalopril, pivopril, quinapril, quinapril hydrochloride, quinaprilat, ramipril, ramiprilat, spirapril, spirapril hydrochloride, spiraprilat, spiropril, spiropril hydrochloride, temocapril, 20 temocapril hydrochloride, teprotide, trandolapril, trandolaprilat, utibapril, zabicipril, zabiciprilat, zofenopril and zofenoprilat.
  - 16. The method of prevention according to claim 15, wherein the ACE inhibitor is selected from the group consisting of ramipril, ramiprilat, lisinopril, enalapril and enalaprilat.
  - 17. The method of prevention according to claim 14, wherein the AT II antagonist or a pharmaceutically acceptable derivative thereof is selected from the group consisting of candesartan, candesartan cilexetil, losartan, valsartan, irbesartan, tasosartan, telmisartan and eprosartan.

25

30

15

20

- 18. The method of prevention according to claim 17, wherein the AT II antagonist or a pharmaceutically acceptable derivative thereof is selected from the group consisting of candesartan and candesartan cilexetil.
- 19. A pharmaceutical formulation for use in the prevention of stroke, diabetes and/or CHF, comprising a therapeutically effective amount of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof.
- 20. The pharmaceutical formulation according to claim 19, wherein the inhibitor of
   the RAS is an ACE inhibitor or an AT II antagonist or a pharmaceutically acceptable derivative of any of these.
  - 21. The pharmaceutical formulation according to claim 20, wherein the ACE inhibitor is selected from the group consisting of ramipril, ramiprilat, lisinopril, enalapril and enalaprilat.
    - 22. The pharmaceutical formulation according to claim 20, wherein the AT II antagonist or a pharmaceutically acceptable derivative thereof is selected from the group consisting of candesartan, candesartan cilexetil, losartan, valsartan, irbesartan, tasosartan, telmisartan and eprosartan.
    - 23. The pharmaceutical formulation according to any one of claims 19 to 22, in admixture with a pharmaceutically acceptable adjuvant, diluent and/or carrier.
- 24. The pharmaceutical formulation according to any one of claims 19 to 23, in unit dosage form.
- 25. The use of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof, in the prevention of stroke, diabetes and/or CHF, by administering the
   30 inhibitor of the RAS or the pharmaceutically acceptable derivative thereof, to a patient in need of such prevention.

PCT/EP00/08341

- 26. The use according to claim 25, wherein the inhibitor of the RAS is an ACE inhibitor or an AT II antagonist or a pharmaceutically acceptable derivative of any of these.
- 5 27. The use according to claim 26, wherein the ACE inhibitor is selected from the group consisting of ramipril, ramiprilat, lisinopril, enalapril and enalaprilat.
- 28. The use according to claim 26, wherein the AT II antagonist or a pharmaceutically acceptable derivative thereof is selected from the group consisting
  of candesartan, candesartan cilexetil, losartan, valsartan, irbesartan, tasosartan, telmisartan and eprosartan.

THIS PAGE BLANK (USPTO)

#### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



### 

(43) International Publication Date 8 March 2001 (08.03.2001)

PCT

(10) International Publication Number WO 01/15673 A3

- (51) International Patent Classification<sup>7</sup>: A61K 38/55, 31/00, 31/401, 31/4184, A61P 9/04, 9/10, 3/10
- (21) International Application Number: PCT/EP00/08341
- (22) International Filing Date: 25 August 2000 (25.08.2000)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 9903028-0

27 August 1999 (27.08.1999) SE

- (71) Applicant: AVENTIS PHARMA DEUTSCHLAND GMBH [DE/DE]; Brüningstrasse 50, 65929 Frankfurt (DE).
- (72) Inventors: SCHOELKENS, Bernward; Hölderlinstrasse 62, 65779 Kelkheim (DE). BENDER, Norbert; Rheingaustrasse 26, 65719 Hofheim (DE). RANGOONWALA, Badrudin; Dahlienweg 11, 65719 Hofheim (DE). DAGE-NAIS, Gilles; 670 Chemin des Oies, St.-Nicholas, Quebec, J7A 3P8 (CA). GERSTEIN, Hertzel; 5 Dromore Crescent, Hamilton, Ontario L8S 4A8 (CA). LJUNGGREN, Anders; Ringspinnaregatan 5, S-431 63 Mölndal (SE).

YUSUF, Salim; 48 Woodend Drive, Carlisle, Ontario LOR 1H2 (CA).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS. JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published:

- with international search report
- (88) Date of publication of the international search report: 7 March 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

A

(54) Title: PHARMACEUTICAL FORMULATIONS AND USE THEREOF IN THE PREVENTION OF STROKE, DIABETES AND/OR CONGESTIVE HEART FAILURE

(57) Abstract: The present invention relates to use of an inhibitor of the renin-angiotensin system (RAS) or a pharmaceutically acceptable derivative thereof, particularly ramipril or ramiprilat, in the manufacture of a medicament for the prevention of stroke, diabetes and/or congestive heart failure (CHF). The present invention further relates to a method of prevention and/or treatment of stroke, diabetes and/or CHF, comprising administering a therapeutically effective amount of an inhibitor of the RAS or a pharmaceutically acceptable derivative thereof, particularly ramipril or ramiprilat, to a patient in need of such prevention and/or treatment.

ional Application No PCT/EP 00/08341

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A61K38/55 A61K31/00 A61P9/10

A61P3/10

A61K31/401

A61K31/4184 A61P9/04

According to International Patent Classification (IPC) or to both national classification and IPC

#### B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) **A61K** 

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, MEDLINE, BIOSIS, CHEM ABS Data, EMBASE, SCISEARCH

WO 99 20260 A (MARTIN JOHN FRANCIS; ERUSALIMSKY JORGE DANIEL (GB); EUROGENE LIMIT) 29 April 1999 (1999-04-29) abstract page 3, line 29 -page 4, line 5 page 6, line 27 - line 31 page 7, line 19 - line 21 page 8, line 1 - line 9 page 8, line 27 -page 9, line 19 page 10, line 4 - line 14 page 11, line 7 - line 11 page 12, line 5 -page 13, line 7 claims 1,2,15-22	Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
<b>-/</b>	X	;ERUSALIMSKY JORGE DANIEL (GB); EUROGENE LIMIT) 29 April 1999 (1999-04-29) abstract page 3, line 29 -page 4, line 5 page 6, line 27 - line 31 page 7, line 19 - line 21 page 8, line 1 - line 9 page 8, line 27 -page 9, line 19 page 10, line 4 - line 14 page 11, line 7 - line 11 page 12, line 5 -page 13, line 7	5-11,
		<b>-/</b>	

X Further documents are listed in the continuation of box C.	X Patent family members are listed in annex.
Special categories of cited documents :	
"A" document defining the general state of the art which is not considered to be of particular relevance	T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the
"E" earlier document but published on or after the international filing date	invention "X" document of particular relevance; the claimed invention
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	involve an inventive step when the document is taken alone  "Y" document of particular relevance: the claimed invention
"O" document referring to an oral disclosure, use, exhibition or other means	cannot be considered to involve an inventive step when the document is combined with one or more other, such docu-
"P" document published prior to the international filing date but later than the priority date claimed	ments, such combination being obvious to a person skilled in the art.  "&" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
30 August 2001	1 7. 09. 01
Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentiaan 2 NL – 2280 HV Rijswijk	
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Cielen, E

Form PCT/ISA/210 (second sheet) (July 1992)

3

Inte Ional Application No
PCT/EP 00/08341

ntinuation) DOCUMENTS CONSIDERED TO BE RELEVANT	PCT/EP 00/08341
ory ° Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
EP 0 474 438 A (SQUIBB & SONS INC) 11 March 1992 (1992-03-11)	1,2,5,6, 10,11, 14,15, 19,20, 23-26
abstract page 2, line 1 - line 31 page 2, line 46 - line 52 examples claims 1,11	
DATABASE WPI Week 199944 Derwent Publications Ltd., London, GB; AN 1999-520858 XP002166044 MASUDA YOSHINOBU, HONDA YAYOI, MINATO HISAO: "Inhibitor of cerebral vasospasm" & JP 11 222439 A (DAINIPPON PHARM CO LTD), 17 August 1999 (1999-08-17) abstract	1,5,6, 10,14, 15,19, 20,23-26
WO 97 27745 A (TECHNOLOGY LICENSING CO L L C; HAMMESFAHR WILLIAM M (US)) 7 August 1997 (1997-08-07)  page 3, paragraph 1 - paragraph 3 page 4, paragraphs 1,3 page 5, paragraph 3 - paragraph 5 page 7, paragraph 3 - page 8, paragraph 1 page 1915, paragraph 2 page 1919, paragraph 4 claims 1,2,9,11	1,5-7, 10, 14-16, 20,21, 23-27
OGIKU N ET AL: "Prophylactic effect of imidapril on stroke in stroke -prone spontaneously hypertensive rats." STROKE, (1993 FEB) 24 (2) 245-52., XP000997781 abstract page 245, column 1, paragraph 3 page 245, column 2, paragraph 4 -page 246, column 1, paragraph 1 figure 1 page 249, column 1, paragraph 3 -column 2, paragraph 1 page 251, column 1, paragraph 3 -/	1,5-7, 10, 14-16, 19-21, 23-27

Inte onal Application No PCT/EP 00/08341

C (Continue	tion) DOCUMENTS CONSIDERED TO BE RELEVANT	PC1/EP 00/08341
	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	STIER C T JR ET AL: "ENALAPRIL PREVENTS STROKE AND KIDNEY DYSFUNCTION IN SALT-LOADED STROKE-PRONE SPONTANEOUSLY HYPERTENSIVE RATS" HYPERTENSION (DALLAS), vol. 13, no. 2, 1989, pages 115-121, XP000997775 ISSN: 0194-911X abstract page 115, column 2, paragraph 3 -page 116, column 1, paragraph 1 figure 1	1,5-7, 10, 14-16, 19-21, 23-27
	page 118, column 2, paragraph 1 page 120, column 2, paragraph 2	
X	ROBERT MKW LEE, HONG WANG, JOHN S SMEDA: "Effects of perindopril on hypertension and stroke prevention in experimental animals" CAN. J. CARDIOL., vol. 10, no. Suppl D, November 1994 (1994-11), pages 33D-36D, XP000998206 abstract page 34D, column 1, paragraph 2 - paragraph 3 page 34D, column 2, paragraph 2 -column 3, paragraph 1 page 35D, column 2, paragraph 2 - paragraph 3 page 36D, column 3, paragraph 2	1,5,6, 10,14, 15,19, 20,23-26
x	J.E.F. REYNOLDS: "Martindale The Extra Pharmacopoeia" 1996, ROYAL PHARMACEUTICAL SOCIETY, LONDON XP002166043 page 863, column 2 -page 864, column 2 page 899, column 3 -page 900, column 1 page 940, column 3 -page 941, column 1	19-21, 23,24
	EBERHARDT ROBERT T ET AL: "Angiotensin II receptor blockade: An innovative approach to cardiovascular pharmacotherapy."  JOURNAL OF CLINICAL PHARMACOLOGY, vol. 33, no. 11, 1993, pages 1023-1038, XP001019614  ISSN: 0091-2700 abstract page 1031, column 1, paragraph 4 -column 2, paragraph 2 page 1032, column 2, paragraph 2 -page 1033, column 1, paragraph 3	1,3-5,8, 10, 12-14, 17,19, 20, 22-26,28

Into ional Application No
PCT/EP 00/08341

	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	STIER CHARLES T JR ET AL: "Stroke prevention by losartan in stroke-prone spontaneously hypertensive rats." JOURNAL OF HYPERTENSION, vol. 11, no. SUPPL. 3, 1993, pages S37-S42, XP001019687 Meeting on Losartan: An Orally Active Angiotensin II Antagonist;St. Paul de Vence, France; June 26-27, 1992 ISSN: 0263-6352 abstract page 537, column 1, paragraph 2 page 538, column 1, paragraph 2 - paragraph 4 page 540, column 1, paragraph 2 -page 541, column 1, paragraph 1	1,5-8, 10, 14-17, 19-28
X	EP 0 331 014 A (THERA GES FUER PATENTE) 6 September 1989 (1989-09-06)	3,5-7, 12, 14-16, 19-21, 23-27
X	the whole document  EP 0 426 066 A (SQUIBB & SONS INC)  8 May 1991 (1991-05-08)  abstract page 2, line 1 -page 3, line 34	3,5-7, 12, 14-16, 19-21, 23-27
x	examples claims  US 5 190 970 A (PAN HENRY Y ET AL) 2 March 1993 (1993-03-02)	3,5-7, 12, 14-16, 19-21, 23-27
	abstract column 1, line 10 - line 17 column 4, line 26 - line 39 column 9, line 63 -column 11, line 24 examples claims	23 - 21
X .	DE 43 08 504 A (KNOLL AG) 22 September 1994 (1994-09-22) the whole document	3,5,6, 12,14, 15,19, 20,23-26

Inte ional Application No
PCT/EP 00/08341

0.40	DOCUMENTO CONCIOCES TO THE TOTAL TOT	PC1/EP 00/08341
	Citation of documents with indication where constraints of the selection	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 266 583 A (OHTAWA MASAKATSU) 30 November 1993 (1993-11-30) abstract	3-5,8, 12-14, 17,19, 20, 22-26,28
	column 1, line 34 - line 55 column 3, line 20 - line 36 column 3, line 56 -column 4, line 20 column 4, line 67 -column 5, line 7 examples	
<b>X</b>	US 5 308 846 A (ALLEN ERIC E ET AL) 3 May 1994 (1994-05-03)	3-5, 12-14, 19,20, 23-26
	abstract column 1, line 11 - line 44 column 18, line 14 - line 19 column 20, line 2 - line 59 example 7 claim 6	
X	BLUMENTHAL MEL: "Treatment of congestive heart failure: Experience with fosinopril."  AMERICAN JOURNAL OF HYPERTENSION, vol. 10, no. 10 PART 2, 1997, pages 289S-298S, XP001019673  ISSN: 0895-7061 abstract page 290S, column 2, paragraph 2 page 297S, column 1, paragraph 3	4-7, 13-16, 19-21, 23-27
x	EP 0 795 327 A (PFIZER) 17 September 1997 (1997-09-17)	4-7, 13-16, 19-21, 23-27
~	abstract page 2, line 5 - line 14 page 4, line 19 - line 42 page 7, line 57 -page 8, line 20 claims 8,9,11	
X	EP 0 241 201 A (MERCK & CO INC) 14 October 1987 (1987-10-14)	4-7, 13-16, 19-27
	the whole document	

Inte onal Application No PCT/EP 00/08341

		PC1/EP 00/08341
C.(Continue	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Х	WO 96 24373 A (SEARLE & CO ;PEREZ ALFONSO T (US); MACLAUGHLAN TODD E (US)) 15 August 1996 (1996-08-15) abstract	4-7, 13-16, 19-21, 23-27
	page 1, line 6 - line 17 page 7, line 4 - line 25 page 9, line 27 -page 11, line 5 page 31, line 11 - line 25 examples claims 1,4,5,9,11,17,18,26,28,29	
x	WO 93 20839 A (BRIGHAM & WOMENS HOSPITAL) 28 October 1993 (1993-10-28)	4-6,8, 13-15, 17,19, 20, 22-26,28
	abstract page 5, paragraph 1 page 6, paragraph 8 -page 8, paragraph 1 page 9, paragraph 3 page 11, paragraph 1 - paragraph 2 page 12, paragraph 3 -page 13, paragraph 1 page 14, paragraph 3 -page 15, paragraph 1 page 27, paragraph 2 -page 28, paragraph 3 page 34, paragraph 1 claims 2,4-6,18,19,25	
X	GB 2 308 064 A (MERCK & CO INC) 18 June 1997 (1997-06-18) abstract page 1, line 26 - line 31 page 6, line 1 - line 28 page 38, line 16 -page 39, line 26 claims 6,7,9	4-9, 13-28
X	WO 97 49392 A (MERCK & CO INC; SWEET CHARLES S (US); CHEN TZYY SHOW H (US); GROSS) 31 December 1997 (1997-12-31) abstract page 3, line 10 -page 4, line 18 page 6, line 19 - line 22 page 8, line 1 - line 5 page 15, line 11 - line 17 claims 1-11,21	4-8, 13-17, 19-28
χ	EP 0 540 209 A (UPJOHN CO) 5 May 1993 (1993-05-05)  abstract page 2, line 1 - line 23 page 5, line 41 - line 46 page 8, line 56 -page 9, line 3 page 45, line 41 -page 46, line 2 claims 8-12	4,5,13, 14,19, 20,23-26
	-/	

3

Inte ional Application No
PCT/EP 00/08341

ABSTRACT  page 2, line 1 - line 30 page 6, line 31 - line 37 claim 1  X  US 5 506 361 A (KOH KEIKO ET AL) 9 April 1996 (1996-04-09)  abstract column 1, line 14 - line 50 column 2, line 41 - line 50 column 3, line 6 - line 57 column 13, line 62 - column 15, line 27  X  NAKAMURA FUMIAKI ET AL: "Chronic administration of angiotensin II receptor antagonist, TCV-116, in cardiomyopathic hamsters:"  AMERICAN JOURNAL OF PHYSIOLOGY, vol. 267, no. 6 PART 2, 1994, pages H2297-H2304, XP001019610 ISSN: 0002-9513 abstract page H2297, column 1, paragraph 1 page H2299, column 2, paragraph 1 page H2299, column 2, paragraph 1 page H2301, column 1, paragraph 1 page H2301, column 1, paragraph 1 page H2303, column 1, paragraph 2  K. PARFITT: "Martindale - The complete drug reference - Thirty-second Edition" 1999, PHARMACEUTICAL PRESS, LONDON UK XP002176301	TO DE DELEVANT	PCT/EP 00/08341		
abstract page 2, line 1 - line 30 page 6, line 31 - line 37 claim 1  US 5 506 361 A (KOH KEIKO ET AL) 9 April 1996 (1996-04-09)  abstract column 1, line 14 - line 20 column 2, line 41 - line 50 column 3, line 6 - line 57 column 13, line 62 -column 15, line 27  NAKAMURA FUMIAKI ET AL: "Chronic administration of angiotensin II receptor antagonist, TCV-116, in cardiomyopathic hamsters."  AMERICAN JOURNAL OF PHYSIOLOGY, vol. 267, no. 6 PART 2, 1994, pages H2297-H2304, XP001019610 ISSN: 0002-9513 abstract page H2297, column 1, paragraph 1 -column 2, paragraph 1 page H2299, column 2, paragraph 2 -page H2300, column 2, paragraph 1 page H2301, column 1, paragraph 1 page H2303, column 1, paragraph 2  K. PARFITT: "Martindale - The complete drug reference - Thirty-second Edition" 1999, PHARMACEUTICAL PRESS, LONDON UK		Relevant to claim No.		
page 2, line 1 - line 30 page 6, line 31 - line 37 claim 1  US 5 506 361 A (KOH KEIKO ET AL) 9 April 1996 (1996-04-09)  abstract column 1, line 14 - line 20 column 2, line 41 - line 57 column 13, line 62 -column 15, line 27  NAKAMURA FUMIAKI ET AL: "Chronic administration of angiotensin II receptor antagonist, TCV-116, in cardiomyopathic hamsters."  AMERICAN JOURNAL OF PHYSIOLOGY, vol. 267, no. 6 PART 2, 1994, pages H2297-H2304, XP001019610 ISSN: 0002-9513 abstract page H2297, column 1, paragraph 1 -column 2, paragraph 1 page H2299, column 2, paragraph 2 -page H2300, column 2, paragraph 1 page H2301, column 1, paragraph 1 page H2303, column 1, paragraph 2  K. PARFITT: "Martindale - The complete drug reference - Thirty-second Edition" 1999, PHARMACEUTICAL PRESS, LONDON UK	SQUIBB BRISTOL MYERS CO) 4,5, (1996-12-11) 13,1 17,1 20, 22-2	4, 9,		
abstract column 1, line 14 - line 20 column 2, line 41 - line 50 column 3, line 6 - line 57 column 13, line 62 -column 15, line 27  NAKAMURA FUMIAKI ET AL: "Chronic administration of angiotensin II receptor antagonist, TCV-116, in cardiomyopathic hamsters."  AMERICAN JOURNAL OF PHYSIOLOGY, vol. 267, no. 6 PART 2, 1994, pages H2297-H2304, XP001019610 ISSN: 0002-9513 abstract page H2297, column 1, paragraph 1 -column 2, paragraph 1 page H2299, column 2, paragraph 2 -page H2300, column 2, paragraph 1 page H2301, column 1, paragraph 1 page H2301, column 1, paragraph 2  K. PARFITT: "Martindale - The complete drug reference - Thirty-second Edition" 1999, PHARMACEUTICAL PRESS, LONDON UK XP002176301	line 30 - line 37			
column 1, line 14 - line 20 column 2, line 41 - line 50 column 3, line 6 - line 57 column 13, line 62 -column 15, line 27  NAKAMURA FUMIAKI ET AL: "Chronic administration of angiotensin II receptor antagonist, TCV-116, in cardiomyopathic hamsters."  AMERICAN JOURNAL OF PHYSIOLOGY, vol. 267, no. 6 PART 2, 1994, pages H2297-H2304, XP001019610 ISSN: 0002-9513 abstract page H2297, column 1, paragraph 1 -column 2, paragraph 1 page H2299, column 2, paragraph 2 -page H2300, column 2, paragraph 1 page H2301, column 1, paragraph 1 page H2303, column 1, paragraph 2  K. PARFITT: "Martindale - The complete drug reference - Thirty-second Edition" 1999, PHARMACEUTICAL PRESS, LONDON UK XP002176301		9,		
administration of angiotensin II receptor antagonist, TCV-116, in cardiomyopathic hamsters."  AMERICAN JOURNAL OF PHYSIOLOGY, vol. 267, no. 6 PART 2, 1994, pages H2297-H2304, XP001019610 ISSN: 0002-9513 abstract page H2297, column 1, paragraph 1 -column 2, paragraph 1 page H2299, column 2, paragraph 2 -page H2300, column 2, paragraph 1 page H2301, column 1, paragraph 1 page H2303, column 1, paragraph 2  X  K. PARFITT: "Martindale - The complete drug reference - Thirty-second Edition" 1999, PHARMACEUTICAL PRESS, LONDON UK XP002176301	1 - line 50 - line 57			
X K. PARFITT: "Martindale - The complete drug reference - Thirty-second Edition" 1999 , PHARMACEUTICAL PRESS , LONDON UK XP002176301	f angiotensin II receptor 116, in cardiomyopathic  OF PHYSIOLOGY, PART 2, 1994, pages 01019610  mn 1, paragraph 1 -column  mn 2, paragraph 2 -page paragraph 1 mn 1, paragraph 1	9,		
page 836, column 1 page 865, column 3 page 891, column 3 -page 892, column 1 page 899, column 1 page 951, column 3 page 960, column 2 -column 3	rtindale - The complete Thirty-second Edition" TICAL PRESS , LONDON UK  1 3 3 -page 892, column 1 1 3	),		

Inte Ional Application No
PCT/EP 00/08341

	Relevant to claim No.
on the relevant passages	nelevant to claim No.
WO 98 30216 A (BEERE POLLY A ; CHANG PAUL I (US); MERCK & CO INC (US); PITT BERTRA) 16 July 1998 (1998-07-16)  abstract page 1, line 6 - line 10 page 3, line 34 -page 4, line 11 page 5, line 14 - line 34 page 21, line 26 -page 22, line 8 page 33, line 1 - line 27 page 44, line 6 - line 27 page 65, line 1 - line 19 claims 1-3,11,12,16-18,23,24,29,30	4,5,8,9, 13,14, 17-20, 22-26,28
DE 199 13 528 A (SANOL ARZNEI SCHWARZ GMBH) 29 June 2000 (2000-06-29)	1,5,6, 10,14, 15,19, 20,23-26
column 1, line 1 - line 67 column 2, line 37 - line 42 example 1 column 3, line 58 - line 61 column 4, line 2 - line 5 claim 1	,
WO 99 44590 A (KAMEI SHIGERU; SAIKAWA AKIRA (JP); IGARI YASUTAKA (JP); INADA YOSH) 10 September 1999 (1999-09-10) abstract page 1, line 6 - line 9 page 2, line 35 -page 3, line 5 page 5, line 20 - line 32 page 33, line 4 - line 11 page 44, line 23 - line 30 claims 1,21,24	3,5,12, 14,19, 20,23-26
WO 00 02543 A (NOVARTIS ERFIND VERWALT GMBH; NOVARTIS AG (CH); GASPARO MARC DE (C) 20 January 2000 (2000-01-20)  abstract page 1, paragraph 1 - paragraph 2 page 4, paragraph 1 page 7, paragraph 3 -page 9, paragraph 3	1,3-5, 8-10, 12-14, 17-20, 22-26,28
page 10, paragraph 3 claims 1,4,5,9 	
	(US); MERCK & CO INC (US); PITT BERTRA)  16 July 1998 (1998-07-16)  abstract page 1, line 6 - line 10 page 3, line 34 -page 4, line 11 page 5, line 14 - line 34 page 21, line 26 -page 22, line 8 page 33, line 1 - line 27 page 44, line 6 - line 27 page 65, line 1 - line 19 claims 1-3,11,12,16-18,23,24,29,30  DE 199 13 528 A (SANOL ARZNEI SCHWARZ GMBH) 29 June 2000 (2000-06-29)  abstract column 1, line 1 - line 67 column 2, line 37 - line 42 example 1 column 3, line 58 - line 61 column 4, line 2 - line 5 claim 1  WO 99 44590 A (KAMEI SHIGERU ;SAIKAWA AKIRA (JP); IGARI YASUTAKA (JP); INADA YOSH) 10 September 1999 (1999-09-10) abstract page 1, line 6 - line 9 page 2, line 35 -page 3, line 5 page 5, line 20 - line 32 page 33, line 4 - line 11 page 44, line 23 - line 30 claims 1,21,24  WO 00 02543 A (NOVARTIS ERFIND VERWALT GMBH ;NOVARTIS AG (CH); GASPARO MARC DE (C) 20 January 2000 (2000-01-20)  abstract page 1, paragraph 1 - paragraph 2 page 4, paragraph 3 -page 9, paragraph 3 page 10, paragraph 3 -page 9, paragraph 3 page 10, paragraph 3 claims 1,4,5,9

Inte onal Application No
PCT/EP 00/08341

		C1/EF 00/08341
C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	WO 00 71751 A (MYRIAD GENETICS INC) 30 November 2000 (2000-11-30)  abstract	3,5,8, 12,14, 17,19, 20, 22-26,28
	page 5, line 5 - line 22 page 25, line 31 -page 26, line 19 claims 8-13	
Ē	WO 01 15674 A (AVENTIS PHARMA GMBH) 8 March 2001 (2001-03-08) page 1, line 6 - line 15 page 3, line 6 - line 29 page 4, line 11 -page 5, line 10 page 6, line 1 -page 8, line 21 claims 1,5,7-11,16,20-26	1,3-10, 12-28
	e T	

3

PCT/EP 00/08341

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
Although claims 10-18 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. X Claims Nos.:  because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:  see FURTHER INFORMATION sheet PCT/ISA/210
OCC   CHITICAL AND CHICAGO   CT/ 201/ 221/
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
see additional sheet
As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest  The additional search fees were accompanied by the applicant's protest.  X  No protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1998)

#### Continuation of Box I.2

Present claims 1-5, 10-14, 19, 20, 23-26 relate to a compound which actually is not well-defined. The use of the definitions "an inhibitor of the renin-angiotensin system or a pharmaceutically acceptable derivative thereof", "an angiotensin converting enzyme inhibitor or a pharmaceutically acceptable derivative thereof" and " an angiotensin II type 1 receptor (AT II) antagonist or a pharmaceutically acceptable derivative of any of these" in the present context is considered to lead to a lack of clarity within the meaning of Article 6 PCT. The lack of clarity is such as to render a meaningful complete search impossible. Moreover, present claims 6 and 15 relate to a very large number of possible compounds. Support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT is to be found, however, for only a very small proportion of the compounds claimed. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Consequently, the search has been carried out for those parts of the claims which appear to be supported and disclosed, namely those parts relating to the ACE-inhibitors particularly preferred, as disclosed in claims 7, 16, 21 and 27 and in the example p. 10, namely ramipril, ramiprilat, lisinopril, enalapril and enalaprilat, and to the AT II antagonists mentioned in claims 8, 9, 17, 18, 22, 28.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

### FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1, 2, 5-7, 10, 11, 14-16, 19-21, 23-27 (partially)

Use of an angiotensin converting enzyme (ACE) inhibitor or a derivative thereof for the prevention of stroke.

2. Claims: 1, 2, 5, 8-11, 14, 17-20, 22-26, 28 (partially)

Use of an angiotensin II type 1 receptor (AT II) antagonist or a derivative thereof for the prevention of stroke.

3. Claims: 3, 5-7, 12, 14-16, 19-21, 23-27 (partially)

Use of an angiotensin converting enzyme (ACE) inhibitor or a derivative thereof for the prevention of diabetes.

4. Claims: 3, 5, 8, 9, 12, 14, 17-20, 22-26, 28 (partially)

Use of an angiotensin II type 1 receptor (AT II) antagonist or a derivative thereof for the prevention of diabetes.

5. Claims: 4-7, 13-16, 19-21, 23-27 (partially)

Use of an angiotensin converting enzyme (ACE) inhibitor or a derivative thereof for the prevention of the development of congestive heart failure.

6. Claims: 4, 5, 8, 9, 13, 14, 17-20, 22-26, 28 (partially)

Use of an angiotensin II type 1 receptor (AT II) antagonist or a derivative thereof for the prevention of the development of congestive heart failure.

Information on patent family members

Int tional Application No PCT/EP 00/08341

			<del></del>			5 1 / EF	00/08341
	itent document I in search report		Publication date		atent family nember(s)		Publication date
WO	9920260	A	29-04-1999	AU CN EP NO PL US	9453398 1279606 1023067 20001979 340838 6107420	T A A A	10-05-1999 10-01-2001 02-08-2000 13-06-2000 26-02-2001 22-08-2000
EP	0474438	A	11-03-1992	AU CA HU IE JP ZA	8342591 2048699 59315 912821 4279524 9107023	A A A	12-03-1992 05-03-1992 28-05-1992 11-03-1992 05-10-1992 27-05-1992
JP	11222439	Α -	17-08-1999	NONE			
WO	9727745	Α	07-08-1997	AU	2252297	A	22-08-1997
EP	0331014	A	06-09-1989	AU DK JP	3091889 99989 1261334	Α	07-09-1989 03-09-1989 18-10-1989
EP	0426066	A	08-05-1991	CA JP	2026686 3153633		01-05-1991 01-07-1991
US	5190970	A	02-03-1993	US	5130333	Α	14-07-1992
DE	4308504	Α	22-09-1994	AU WO	6376694 9421285		11-10-1994 29-09-1994
US	5266583	Α	30-11-1993	GB	2270074	A	02-03-1994
US	5308846	A	03-05-1994	US US CA EP JP	5202322 5256667 2079079 0534706 6073024	A A A	13-04-1993 26-10-1993 26-03-1993 31-03-1993 15-03-1994
EP	0795327	A	17-09-1997	AU AU CA HU JP JP US ZA	713842 1630797 2199888 9700588 2918512 10007566 5948799 9702228	A A B A	09-12-1999 18-09-1997 15-09-1997 28-05-1999 12-07-1999 13-01-1998 07-09-1999
EP	0241201	· A	14-10-1987	AU CA DK JP	7110387 1288351 174087 62242626	A A	08-10-1987 03-09-1991 08-10-1987 23-10-1987
WO	9624373	A	15-08-1996	AU BR CA EP JP	5354196 9604882 2212713 0808172 11507012	A A A	27-08-1996 19-05-1998 15-08-1996 26-11-1997 22-06-1999

Information on patent family members

Int. :ional Application No PCT/EP 00/08341

		<del></del>	PCI/E	P 00/08341
Patent document cited in search report	1	Publication date	Patent family member(s)	Publication date
WO 9320839	Α	28-10-1993	US 5977160 A US 5972990 A AU 4281093 A CA 2117782 A EP 0641218 A JP 7505884 T US 5952305 A	02-11-1999 26-10-1999 18-11-1993 28-10-1993 08-03-1995 29-06-1995 14-09-1999
GB 2308064	A	18-06-1997	NONE	
WO 9749392	A	31-12-1997	AU 724576 B AU 3571097 A CA 2257946 A EP 0910375 A JP 2000513356 T US 6087386 A	28-09-2000 14-01-1998 31-12-1997 28-04-1999 10-10-2000 11-07-2000
EP 0540209	Α	05-05-1993	JP 6107661 A AT 140458 T AU 661346 B AU 2759292 A CA 2118802 A DE 69212331 D DE 69212331 T DK 609289 T EP 0609289 A ES 2091489 T GR 3021143 T JP 7500336 T MX 9206157 A WO 9308193 A US 5442062 A	19-04-1994 15-08-1996 20-07-1995 21-05-1993 29-04-1993 22-08-1996 09-01-1997 25-11-1996 10-08-1994 01-11-1996 31-12-1996 12-01-1995 31-05-1994 29-04-1993 15-08-1995
EP 0747050	A	11-12-1996	AU 702651 B AU 5476396 A CA 2177772 A CN 1144656 A CZ 9601634 A HU 9601564 A JP 3162626 B JP 8333253 A NO 962387 A NO 962387 A NO 20004743 A NZ 286612 A NZ 329547 A PL 314670 A SG 49956 A US 5994348 A	25-02-1999 19-12-1996 08-12-1996 12-03-1997 11-12-1996 28-09-1998 08-05-2001 17-12-1996 09-12-1996 09-12-1996 25-03-1998 26-06-1998 09-12-1996 15-06-1998 30-11-1999
US 5506361	A	09-04-1996	AU 650342 B AU 1784892 A CA 2106968 A EP 0586466 A JP 5112533 A JP 6507620 T MX 9202132 A WO 9219211 A	16-06-1994 21-12-1992 09-11-1992 16-03-1994 07-05-1993 01-09-1994 01-04-1993 12-11-1992

Information on patent family members

Inti ional Application No PCT/EP 00/08341

					·	1 0 1 / L1	00/00541
	atent document d in search report		Publication date		Patent family member(s)		Publication date
WO	9830216	Α	16-07-1998	AU	72988	31 B	15-02-2001
	•			AU	602189		03-08-1998
				CN	124968		05-04-2000
			•	EE	990027		15-02-2000
				EP	096628		29-12-1999
				HU	000010		28-04-2001
					200050834		04-07-2000
	•			NO	99339		09-09-1999
				SK	9289		14-08-2000
				US	620100		13-03-2001
				ZA	980016		10-07-1998
DE	19913528	Α	29-06-2000	NON	E ,		·
WO 994	9944590	Α	10-09-1999	AU	274519	9 A	20-09-1999
				BR	990847	74 A	05-12-2000
	•			CN	129188	38 T	18-04-2001
				EP	105854	11 A	13-12-2000
				JP	1131503	34 A	16-11-1999
				LV	1258	35 A	20-12-2000
				LV	1258	35 B	20-03-2001
				NO	200043	50 A	03-10-2000
WO	0002543	Α	20-01-2000	AU	503499		01-02-2000
				BR	991202	21 A	03-04-2001
				EP	109693		09-05-2001
				NO	2001013	13 A	09-03-2001
WO	0071751	Α	30-11-2000	AU	501620	00 A	12-12-2000
WO	0115674	Α	08-03-2001	AU	764910	00 A	26-03-2001